Bloodborne Pathogens Site-Specific Training Checklist

| A red comp your | pleting the | ompletion of this e-Learning course will be ad e form, you are verifying that you have succe or or designated work area trainer. The Supe | essfully comple | eted EHS's e-learning course. | Provide this form to | |
|---|-------------|--|-----------------|-------------------------------|----------------------|--|
| Emp | oloyee Nam | e (Please Print) | Job Titl | е | | |
| Supervisor or Designated Work Area Trainer (Please Print) | | | Departr | Department | | |
| | | training requirement, you must also know sp w with your supervisor or designated work ar | | | | |
| Υ | N/A | | | | | |
| | | Shown how to access and use the department's Exposure Control Plan (ECP). | | | | |
| | | Informed of who the Exposure Control Officer (ECO) is. | | | | |
| | | Shown how to reduce risk or exposure to infectious materials in performing their job. | | | | |
| | | Shown how to handle and dispose of sharps and biohazardous waste. | | | | |
| | | Shown the use of engineering controls such as sharps containers, biological safety cabinets, mechanical pipettors, safe needle devices, and/or needleless systems. | | | | |
| | | Informed of what personal protective equipment (e.g., gloves, eye protection) is required for specific tasks and how to obtain, use, and maintain it. | | | | |
| | | Informed of spill response procedures and the location and use of spill kits. | | | | |
| | | Informed of the location and use of eyewash stations and emergency showers. | | | | |
| | | Informed of what to do in the event of an exposure incident. | | | | |
| | | Informed of how to obtain the hepatitis B vaccine series and the need to complete the Hepatitis B Immunization Survey through UEHC within 10 working days. | | | | |
| | | If there are additional items to be covered, specify here: | | | | |
| | | of Training: I verify that the site-specific to | raining items | | | |
| oupel | IVISULOLDE | esignated Work Area Trainer Date | | Employee Signature | Date | |

